


## Mod. 2437 BE

### 2437 EXPLORER CASES

The new **Explorer Cases 2437** is a compact, basket-shaped case designed for maximum protection in demanding environments. With external dimensions of **269×304×388 mm** and internal dimensions of **240×240×370 mm**, it withstands **drops from up to 9 meters**. It features a **top carry handle, automatic pressure valves, a pull-style latch, and a shoulder-strap attachment point**. Available in **black, orange, and green**, it can be supplied **empty** or with **pre-cubed foam** for tailored equipment protection.



METRIC MM-KG-C°



#### INTERNAL DIMENSIONS

L LENGTH	240 mm
W WIDTH	240 mm
D DEPTH	370 mm
LID	70 mm
BASE	300 mm


#### EXTERNAL DIMENSIONS

L LENGTH	304 mm
W WIDTH	269 mm
D DEPTH	388 mm

#### OTHER DATA

WEIGHT EMPTY	2.45 Kg
WEIGHT WITH FOAM	2.87 Kg
WEIGHT WITH CUSTOM FOAM	Kg
VOLUME	21.3 lt
BUOYANCY	15.6 Kg/max
OPERATING TEMPERATURE	°C min -24 / max 90

IMPERIAL IN-LBS-F°


**INTERNAL DIMENSIONS**

<b>L</b> LENGTH	9.45 in
<b>W</b> WIDTH	9.45 in
<b>D</b> DEPTH	14.57 in
<b>LID</b>	2.76 in
<b>BASE</b>	11.81 in

**EXTERNAL DIMENSIONS**

<b>L</b> LENGTH	11.97 in
<b>W</b> WIDTH	10.59 in
<b>D</b> DEPTH	15.28 in

**OTHER DATA**

<b>WEIGHT EMPTY</b>	5.4 lbs
<b>WEIGHT WITH FOAM</b>	6.33 lbs
<b>WEIGHT WITH CUSTOM FOAM</b>	lbs
<b>VOLUME</b>	5.63 gal
<b>BUOYANCY</b>	34.39 lbs/max
<b>OPERATING TEMPERATURE</b>	°F min 11.2 / max 194

## FEATURES